

## Material Composition Declaration

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

1752-2 1.1

ICP Web Site for information on IPC-1752 Standard  
<http://www.ipc.org/IPC-175x>

Form Type\*  
Distribute

**Declaration Class\***  
**Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information**

### Supplier Information

|   |   |   |   |
|---|---|---|---|
| <b>Company Name *</b><br>Fairchild Semiconductor      | Company Unique ID<br>00-489-5751          | Unique ID Authority<br>Dun & Bradstreet         | <b>Response Date*</b><br>Sat, May 26, 2012 01:46 AM           |
| <b>Contact Name *</b><br>David Lancaster              | Title - Contact<br>Product Ecology        | <b>Phone - Contact *</b><br>801-562-7455        | <b>Email - Contact *</b><br>david.lancaster@fairchildsemi.com |
| <b>Authorized Representative *</b><br>David Lancaster | Title - Representative<br>Product Ecology | <b>Phone - Representative *</b><br>801-562-7455 | Email - Representative *<br>david.lancaster@fairchildsemi.com |

| Requester Item Number | Mf Item Number | Mf Item Name  | Effective Date | Version | Manufacturing Site | Weight* | UOM | Unit Type |
|-----------------------|----------------|---------------|----------------|---------|--------------------|---------|-----|-----------|
| 1N4730A               | 1N4730A        | DO-41 (Glass) |                |         | SUBCONTRACTOR      | 0.324   | g   | Each      |

### Manufacturing Process Information

|                 |            |                      |                               |                              |                  |
|-----------------|------------|----------------------|-------------------------------|------------------------------|------------------|
| Terminal Finish | Base Alloy | J-STD-020 MSL Rating | Peak Process Body Temperature | Max Time at Peak Temperature | No Reflow cycles |
| Matte Tin (Sn)  | Other      | Not Applicable       | C                             | seconds                      | Not Applicable   |

\* Required Field

|  |                                  |
|--|----------------------------------|
| <b>RoHS Material Composition Declaration</b> | <b>Declaration Type * Custom</b> |
|--|----------------------------------|

|                                  |   |
|----------------------------------|---|
| <b>RoHS Directive 2002/95/EC</b> | <b>RoHS Definition:</b> Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium |
|----------------------------------|---|

Providing for limitations below, we certify that the Fairchild Semiconductor product(s) list in this document are compliant to directive 2002/95/EC of the European Parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS directive). Specifically, this product(s) does not contain the substances in the RoHS definition above in concentrations greater than the maximum limit value(a).

Fairchild has implemented procedures to ensure our products and the materials in our products conform to regulatory requirements worldwide. Fairchild Semiconductor certifies that the information provided in this document is correct as of the date indicated on this document. However, not all materials in Fairchild's products may have been independently verified or tested with regard to substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.

(a) Maximum limit does not apply to applications for which exemptions have been granted by the RoHS directive. Fairchild product may utilize exemption 5 and 7a.

|                           |  |                                       |
|---------------------------|--|---------------------------------------|
| <b>RoHS Declaration *</b> | <b>4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions</b> | <b>Supplier Acceptance * Accepted</b> |
|---------------------------|--|---------------------------------------|

**Exemptions:** If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Exemption List Version EL-2006/690/EC  
 5. Lead in glass of cathode ray tubes, electronic components and fluorescent tubes.

**Declaration Signature**

|                    |  |
|--------------------|--|
| Supplier Signature | <br>DAVID LANCASTER - PRODUCT ECOLOGY MANAGER |
|--------------------|--|

**Homogeneous Material Composition Declaration for Electronic Products**

Item/SubItem Name DO-41 (Glass)

| Component     | Material                                   | Weight (mg) | Jig Level | Substance Category                  | Substance          | Weight (mg) | CAS        | PPM    |
|---------------|--|-------------|-----------|-------------------------------------|--------------------|-------------|------------|--------|
| CSS Wire      | Other Ferrous alloys, non-stainless steels | 202.000     | Supplier  |                                     | Carbon             | 1.010       | 7440-44-0  | 3116   |
|               |  |             | Supplier  |                                     | Copper             | 70.700      | 7440-50-8  | 218085 |
|               |  |             | Supplier  |                                     | Iron               | 130.000     | 7439-89-6  | 401005 |
|               |  |             | Supplier  |                                     | Manganese          | 0.404       | 7439-96-5  | 1246   |
|               |  |             | Supplier  |                                     | Phosphorus         | 0.101       | 7723-14-0  | 312    |
|               |  |             | Supplier  |                                     | Sulfur             | 0.101       | 7704-34-9  | 312    |
| Chip          | Other inorganic materials                  | 0.093       | Supplier  |                                     | Silicon            | 0.093       | 7440-21-3  | 285    |
| Dumet Wire    | Other Ferrous alloys, non-stainless steels | 57.900      | Supplier  |                                     | Cobalt             | 0.290       | 7440-48-4  | 895    |
|               |  |             | Supplier  |                                     | Iron               | 32.700      | 7439-89-6  | 100868 |
|               |  |             | Supplier  |                                     | Manganese          | 0.463       | 7439-96-5  | 1428   |
|               |  |             | B         | Nickel (external applications only) | Nickel             | 24.300      | 7440-02-0  | 74957  |
|               |  |             | Supplier  |                                     | Silicon            | 0.174       | 7440-21-3  | 537    |
| Encapsulation | Ceramics / Glass                           | 60.400      | Supplier  |                                     | Diboron Trioxide   | 1.510       | 1303-86-2  | 4658   |
|               |  |             | A         | Lead/Lead Compounds                 | Lead (II,IV) oxide | 36.500      | 1314-41-6  | 112590 |
|               |  |             | Supplier  |                                     | Potassium Oxide    | 2.420       | 12136-45-7 | 7465   |
|               |  |             | Supplier  |                                     | Silicon Dioxide    | 19.900      | 14808-60-7 | 61385  |
| Plating       | Other Nonferrous metals & alloys           | 3.520       | Supplier  |                                     | Tin                | 3.520       | 7440-31-5  | 10858  |