

## Material Composition Declaration

© Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.

This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with lower level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.

1752-2 1.1

ICP Web Site for information on IPC-1752 Standard  
<http://www.ipc.org/IPC-175x>

Form Type\*  
Distribute

**Declaration Class\***  
**Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Information**

### Supplier Information

<b>Company Name *</b> Fairchild Semiconductor	Company Unique ID 00-489-5751	Unique ID Authority Dun & Bradstreet	<b>Response Date*</b> Sat, May 26, 2012 04:34 AM
<b>Contact Name *</b> David Lancaster	Title - Contact Product Ecology	<b>Phone - Contact *</b> 801-562-7455	<b>Email - Contact *</b> david.lancaster@fairchildsemi.com
<b>Authorized Representative *</b> David Lancaster	Title - Representative Product Ecology	<b>Phone - Representative *</b> 801-562-7455	Email - Representative * david.lancaster@fairchildsemi.com

Requester Item Number	Mf Item Number	Mf Item Name	Effective Date	Version	Manufacturing Site	Weight*	UOM	Unit Type
MJD45H11TM	MJD45H11TM	TO-252-3 (NiLFAIBW)			INTERNAL SUZHOU	0.292	g	Each

### Manufacturing Process Information

Terminal Finish	Base Alloy	J-STD-020 MSL Rating	Peak Process Body Temperature	Max Time at Peak Temperature	No Reflow cycles
Matte Tin (Sn)	CU Alloy	1	260 C	30 seconds	3

\* Required Field

<b>RoHS Material Composition Declaration</b>	<b>Declaration Type * Custom</b>
--	----------------------------------

<b>RoHS Directive 2002/95/EC</b>	<b>RoHS Definition:</b> Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium
----------------------------------	---

Providing for limitations below, we certify that the Fairchild Semiconductor product(s) list in this document are compliant to directive 2002/95/EC of the European Parliament and of the council on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS directive). Specifically, this product(s) does not contain the substances in the RoHS definition above in concentrations greater than the maximum limit value(a).

Fairchild has implemented procedures to ensure our products and the materials in our products conform to regulatory requirements worldwide. Fairchild Semiconductor certifies that the information provided in this document is correct as of the date indicated on this document. However, not all materials in Fairchild's products may have been independently verified or tested with regard to substance content. In the event of any issues arising from information in this document, the warranty section of Fairchild's standard terms and conditions of sale shall apply, unless alternate contracts have been agreed upon in writing by both parties.

(a) Maximum limit does not apply to applications for which exemptions have been granted by the RoHS directive. Fairchild product may utilize exemption 5 and 7a.

<b>RoHS Declaration *</b>	<b>4 - Item(s) does not contain RoHS restricted substances per the definition above except for selected exemptions</b>	<b>Supplier Acceptance * Accepted</b>
---------------------------	--	---------------------------------------

**Exemptions:** If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.

Exemption List Version EL-2006/690/EC

7a. Lead in high melting temperature type solders (i.e. lead based solder alloys containing 85 % by weight or more lead).

<b>Declaration Signature</b>
------------------------------

Supplier Signature	 DAVID LANCASTER - PRODUCT ECOLOGY MANAGER
--------------------	--

**Homogeneous Material Composition Declaration for Electronic Products**

Item/SubItem Name TO-252-3 (NiLFAIBW)

Component	Material	Weight (mg)	Jig Level	Substance Category	Substance	Weight (mg)	CAS	PPM
Chip	Other inorganic materials	5.930	Supplier		Silicon	5.930	7440-21-3	20320
Die Attach	Other Nonferrous metals & alloys	2.352	A	Lead/Lead Compounds	Lead	2.176	7439-92-1	7455
			Supplier		Silver	0.059	7440-22-4	201
			Supplier		Tin	0.118	7440-31-5	403
Encapsulation	Thermoplastics	129.000	B	Antimony/Antimony Compounds	Antimony Trioxide	3.230	1309-64-4	11068
			B	Brominated Flame Retardants (other than PBCs or PBDEs)	Bromine Resin	3.870	6386-73-8	13261
			Supplier		Epoxy Resin	25.800	29690-82-2	88408
			Supplier		Silica, vitreous	96.100	60676-86-0	329301
Lead Frame	Copper & its alloys	150.208	Supplier		Copper	150.000	7440-50-8	513998
			B	Nickel (external applications only)	Nickel	0.048	7440-02-0	164
			Supplier		Tin	0.160	7440-31-5	548
Plating	Other Nonferrous metals & alloys	1.900	Supplier		Tin	1.900	7440-31-5	6511
Wire Bond	Aluminum & its alloys	2.440	Supplier		Aluminum	2.440	7429-90-5	8361