



# TO-247AD Tube Packing Data



## TO-247AD Tube Packing Configuration: Figure 1.0



**Packaging Description:**  
 TO-247AD parts are shipped in tube. The tube is made of PVC plastic treated with anti-static agent. These tubes in standard option are placed inside a dissipative plastic bubble sheet, barcode labeled, and placed inside a box made of recyclable corrugated paper. One box contains fifteen tubes maximum (see fig. 1.0). And one or several of these boxes are placed inside a labeled shipping box which comes in different sizes depending on the number of parts shipped. The units in this option are placed inside a small box laid with anti-static bubble sheet. These larger boxes then will be placed finally inside a labeled shipping box which still comes in different sizes depending on the number of units shipped.



## TO-247AD Packaging Information: Figure 2.0

TO-247AD Packaging Information	
Packaging Option	Standard (no flow code)
Packaging type	Roll/Tube
Qty per Tube/ Inner Box	30
Inner Box Dimension (mm)	570x150x48
Max qty per Box	450
Outer Box Dimension (mm)	590x330x245
Max qty per Box	3,600
Weight per unit (gm)	5,1945
Note/Comments	

**Inner Box Barcode Label Sample**

LOT: AR QTY: 2002/ 03 /17  
 07:30:00  
 BG:SA  
 PART ID: SPEC:  
 D/C1:0211 QTY1: SPEC REV:  
 D/C2: QTY2: CPN:  
 FAIRCHILD SEMICONDUCTOR CORPORATION. (F63TNR)3.2

**Outer Box Barcode Label Sample**

2002/ 03 /17  
 PART ID : 07:30:00  
 LOT NO : BG:FKS-IT  
 QTY :  
 M110020004  
 0138  
 FAIRCHILD SEMICONDUCTOR CORPORATION. (BBX)1.0

## TO-247AD Tube Configuration: Figure 3.0

Note: All dimensions are in mm

